BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP

TELEPHONE: (303) 740-1980

INTELLECTUAL PROPERTY LAW 1279 OAKMEAD PARKWAY SUNNYVALE, CA 94085-4040

FACSIMILE: (303) 740-6962

RECEIVED CENTRAL FAX CENTER

FACSIMILE COVER SHEET

JUN 1 6 2008

Deliver to: Patel, Nimesh G., USPTO	Art Group: 2111				
Facsimile No.: (571) 273-8300	Date: June 16, 2008				
From: Mark L. Watson, Reg. No. 46,32	•				
Our Docket No.: 42390P13516	Number of pages 24 including this sheet.				
Application No.: 10/014,904	Filing Date: 12/14/2001				
Enclosed are the following documents:	Docket Due Date(s): 6/15/2008				
☐ Amendment: (pgs)	☐ Issue Fee Transmittal				
Appeal Brief (_21_pgs)	☐ Notice of Appeal (in duplicate)				
Application:	Petition for:				
(pgs) w/cover & abstract)	Request for Continued Examination (RCE) (in duplicate)				
☐ Assignment & Cover Sheet (pgs)	Reply Brief (pgs)				
☑ Certificate of Eacsimile	Request & Certification Under 35 USC 122(b)(2)(B)(i)				
☐ Continued Prosecution Application (CPA)	Request to Rescind Previous Nonpublication Request				
☐ Declaration & POA (pgs)	☐ Response to Notice of Missing Parts & Formalities Letter				
☐ Drawings: sheets, figures	☐ Response to Written Opinion (pgs)				
Extension of Time:	☐ Terminal Disclaimer				
☑ Fee Transmittal (in duplicate)	☐ Transmittal of Publication Fee Due				
☐ IDS & PTO/SB/08 (pgs)	☐ Transmittal Letter				
Other:	ξ.				
CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.8A)					
I hereby certify that this correspondence is being transmitted by facsimile on the date shown below to the United States					
Patent and Trademark Office.					
Shappon Sever 6/16/2008					
Shannon Serrano Date					

Confidentiality Note: The documents accompanying this facsimile transmission contain information from the law firm of Blakely, Sokoloff. Taylor & Zafman which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

If you do not receive all the pages, or if there is any difficulty in receiving, please call: (303) 740-1980 and ask for Shannon Serrano.

RECEIVED **CENTRAL FAX CENTER**

ILIN 1 6 2008

CEE TO ANICMITTAL	1	Complete if Known				
FEE TRANSMITTAL	Application Number	10/014,904				
for FY 2007	Filing Date	December 14, 2001				
Patent fees are subject to annual revision.	First Named Inventor	Pete A. Hawkins				
Applicant claims small entity status. See 37 CFR 1.27.	Examiner Name	Patel, Nimesh G.				
TOTAL AMOUNT OF PAYMENT (\$) 510.00	Art Unit	2111				
TOTAL AMOUNT OF PAYMENT (\$) 510.00	Attorney Docket No.	42390P13516				
METHOD OF PAYMENT (check all that apply)		•				
	Other (please identify):					
Deposit Account Deposit Account Number: 02-2666 Deposit Account Name: Blakely, Sokoloff, Taylor & Zafman LLP						
For the above-identified deposit account, the Director is h						
Charge fee(s) indicated below	Credit any o					
Charge fee(s) indicated below, except for the filing f		ent or future reply that requires a petition for				
Charge any additional fee(s) or underpayment of fee		time should be treated as incorporating an				
during the pendency of this application.	appropriate j fees should l	petition for extension of time and all required				
FEE CALCULATION	,cca attouto	or endinger.				
1. EXTRA CLAIM FEES Extra Feetrom Chairing below Fee Paid						
Total Claims 18 31 = 0 x 50.00 = \$0.00						
Independent 3 7 = 0 x 210.00 = \$0.00						
Multiple Dependent						
Langai Entity Stream Entity						
For For Fee Fee PeepDescription						
Code (5) Code (5) 1202 50 2202 25 Claims in excess of 20		•				
1201 210 Z201 105 Independent claims in excess of 3						
1204 810 2204 405 "Reissue independent claims over original patent	"or numbe	er previously peid, if greater, For Relssues, see below				
1205 810 2205 405 **Roissua claims in excess of 20 and over original p	patent	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
SUBTOTAL (1) (\$) 0.00 2. ADDITIONAL FEES						
Large Entity Small Entity	•					
Fee Fee Fee Fee Code (5) Code (5) Fee Description		Furthis				
1051 130 2051 65 Surcharge - late filing fee or oath		Fee Paid				
1052 50 2052 25 Surcharge - late provisional filing fee or cover she	eet					
2053 130 2053 130 Non-English specification 1251 120 2251 50 Extension for reply within first month						
1252 460 2252 230 Extension for reply within second month		-				
1253 1,050 2253 525 Extension for reply within third month 1264 1,640 2254 820 Extension for reply within fourth month						
1255 2,230 2255 1,115 Extension for reply within fifth month						
1401 510 2401 255 Notice of Appeal 1402 510 2402 25\$ Filing a brief in support of an appeal		510.00				
1403 1,030 2403 515 Request for oral hearing		•••••				
1451 1.510 2451 1.510 Petäion to institute a public use proceeding 1460 130 2460 130 Petitions to the Commissioner						
1807 50 1807 50 Processing fee under 37 CFR 1,17(q) 1808 180 1808 180 Submission of Information Disclosure Start	•	<u></u>				
1809 810 1809 405 Filing a submission after final rejection (27 CFR §	§ 1.129(a))	· · ·				
1810 810 2810 405 For each additional invention to be examined (37	CFR § 1.129(b))					
Other fee (specify)	-	(8) 510.00				
1 1		(5) 510.00				
SUBMITTED BY		Complete (if applicable)				
Name (Print/Type) Mark L. Watsyn	Registration No. (Attorney/Agent) 46	5,322 Telephone (303) 740-1980				
Signature		Date 06/16/08				
Based on PTO/SB/17 (02-07) as modified by Blakely, Sokoloff, Taylor & Zafman (wir) 02/28/20	007					

3037406962

RECEIVED GENTRAL FAX CENTER

JUN 1 6 2008

FEE TRANSMITTAL		Complete if Known		
	Application Number	10/014,904		
for FY 2007	Filing Date	December 14, 2001		
Patent fees ere subject to ennual revision.	First Named Inventor	Pete A. Hawkins		
Applicant claims small entity status. See 37 CFR 1.27.	Examiner Name	Patel, Nimesh G.		
Applicant claims small chity stoles. God or Grit 1.21.	Art Unit	2111		
TOTAL AMOUNT OF PAYMENT (\$) 510.00	Attorney Docket No.	42390P13516		
		12374213314		
METHOD OF PAYMENT (check all that apply)		·		
	Mhay (alaaa idayifa).			
	ther (please identify):			
Deposit Account Deposit Account Number: 02-2666 D	eposit Account Name:	Blakely, Sokoloff, Taylor & Zafman LLP		
For the above-identified deposit account, the Director is h	ereby authorized to: (c	heck all that apply)		
☑ Charge fee(s) indicated below	Credit any or			
Charge fee(s) indicated below, except for the filing fe		ent or future reply that requires a petition for		
		time should be treated as incorporating an		
Charge any additional fee(s) or underpayment of fee(etition for extension of time and all required		
during the pendency of this application.	fees should b			
555 001 001 00101	ices silouid o	o charged.		
FEE CALCULATION				
1. EXTRA CLAIM FEES Dates Feetern				
Claims below Fee Paid				
Total Claims 18 3f' = 0 x 50.00 = \$0.00				
Independent 3 7° = 0 X 210.00 = \$0.00				
Multiple Dependent		·		
Large Entity Small Entity				
Fee Fee Fee Fee Description				
Code (5) Code (5)				
1202 50 2202 25 Claims in excess of 20 1201 210 2201 105 Independent claims in excess of 3				
1203 370 2203 185 Multiple Dependent delm, if not paid				
1204 810 2204 405 *Reissue independent claims over original patent	tent "or numbe	r previously paid, if groater, For Raissues, see below		
1200	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
SUBTOTAL (1) (\$) 0.00				
2. ADDITIONAL FEES Large Entity Small Entity				
Fee Fee Fee Fee				
Code (5) Code (5) Fee Description		Fee Paid		
1051 130 2051 85 Surcharge - late filing fee or oath				
1052 50 2052 25 Surcharge - late provisional filing fee or cover she	ęł.	.		
2053 130 2053 130 Non-English specification 1251 120 2251 50 Extension for repty within first month				
1252 460 2252 230 Extension for reply within second month				
1253 1,050 2253 525 Extension for repty within third month				
1254 1,540 2254 820 Extension for reply within fourth month 1255 2,230 2255 1,115 Extension for reply within 6Rh month				
1401 510 2401 255 Notice of Appeal				
1402 510 2402 255 Filling a brief in support of an apposal 1403 1,020 2403 515 Request for onal hearing		510.00		
1451 1,510 2451 1.510 Petition to institute a public use proceeding		· · ·		
1460 130 2460 130 Petitions to the Commissioner		. 		
1807 50 1807 50 Processing fee under 37 CFR 1.17(q) 1808 180 1806 180 Submission of Information Disclosure Stret				
1809 810 1809 405 Filing a submission after final rejection (37 CFR §				
1810 810 2810 405 For each additional invention to be examined (37 CFR § 1.129(b))				
Other fee (specify)				
// SUSPIDIAL (2)		(6) 510.00		
COMMITTED BY				
SUBMITTED BY	Registration No.	Complete (if applicable) Telephone (303) 740-1980		
Name (PrintType) Mark L. Watton	(Attorney/Agent) 46			
Signature		Date 06/16/08		

3037406962

To:USPTO

RECEIVED CENTRAL FAX CENTER

JUN 1 6 2008 Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re Application of:

Hawkins

Examiner: Patel, Nimesh G.

Application No.: 10/014,904

Art Group: 2111

Filed: December 14, 2001

For:

Computer System with Dedicated

System Management

Mail Stop Appeal Brief – Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

APPEAL BRIEF IN SUPPORT OF APPELLANT'S APPEAL TO THE BOARD OF PATENT APPEALS AND INTERFERENCES

Sir:

Applicant (hereinafter "Appellant") hereby submits this amended Brief in support of its appeal from a final decision by the Examiner, mailed December 27, 2007, in the above-captioned case. Appellant respectfully requests consideration of this appeal by the Board of Patent Appeals and Interferences (hereinafter "Board") for allowance of the above-captioned patent application.

An oral hearing is not desired.

06/17/2008 HMARZI1 00000003 022666 10014904

01 FC:1402 510.00 DA

TABLE OF CONTENTS

I.	REAL PARTY IN INTEREST	3
IJ.	RELATED APPEALS AND INTERFERENCES	3
III.	STATUS OF THE CLAIMS	3
IV.	STATUS OF AMENDMENTS	3
V.	SUMMARY OF CLAIMED SUBJECT MATTER	4
VĮ.	GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL	б
VII.	ARGUMENT	7
VIII.	CONCLUSION	15
IX.	APPENDIX OF CLAIMS	į
Х.	EVIDENCE APPENDIX	v
XI.	RELATED PROCEEDING APPENDIX	vi

I. REAL PARTY IN INTEREST

The invention is assigned to Intel Corporation of 2200 Mission College Boulevard, Santa Clara, California 95052.

II. RELATED APPEALS AND INTERFERENCES

To the best of Appellants' knowledge, there are no appeals or interferences related to the present appeal that will directly affect, be directly affected by, or have a bearing on the Board's decision.

III. STATUS OF THE CLAIMS

Claims 1, 4-5, 7-10 and 16-22 are currently pending in the above-referenced application. Claims 2, 3, 6, 11-15 and 23-30 have been withdrawn from prosecution. No claims have been allowed. All pending claims were rejected in the Final Office Action mailed December 27, 2007 and are the subject of this appeal.

All pending claims stand rejected under 35 U.S.C. § 103 and 35 U.S.C. §112, first paragraph.

IV. STATUS OF AMENDMENTS

An Amendment After Final Action under 37 C.F.R. § 1.116 was submitted in response to the Final Office Action mailed on December 27, 2007. In response, the Examiner mailed an Advisory Action on March 26, 2008 maintaining the claim rejections. Appellant subsequently filed a Pre-Brief Conference Request on April 4, 2008.

A copy of all claims on appeal is attached hereto as an Appendix of Claims.

Docket No.: 42P13516 Application No.: 10/014,904 3

V. SUMMARY OF CLAIMED SUBJECT MATTER

In claim 1, a system is disclosed, including a first set of field replaceable units each being of a first type (See Figure 1 (112-115)), a second set of field replicable units each being of a second type (See Figure 1 (131-133)), a first management bus directly coupled to each of the first set of field replaceable units, wherein the first management bus is coupled only to field replicable units of the first type (See Figure 1 (110)), and a second management bus, directly coupled to each of the second set of field replaceable units, wherein the second management bus is coupled only to field replicable units of the second type (See Figure 1 (130)). The system also includes a central management agent coupled to the first management bus and the second management bus to monitor each of the first and second sets of field replaceable units via the first and second management buses, and to transmit signals to control each of the first and second sets of field replaceable units via the first and second management buses (See Figure 1 (105) and (Specification at page 3, ll. 24 - page 4, ll. 6), and a communication link coupled to the central management agent to transmit signals received from the central management agent indicating failure of one or more of the first set of field replaceable units and the second set of field replaceable units to a remote location (See Figure 1 (140) and (Specification at page 5, Il. 23 – page 6, Il. 5)).

In claim 16, a system is disclosed. The system includes two or more temperature sensors (See Figure 1 (131-133)), a first management bus directly coupled to each of the two or more temperature sensors, wherein the first management bus is coupled only to temperature sensors (See Figure 1 (130)), two or more fan trays (See Figure 1 (112-115)), a second management bus directly coupled to each of the two or more fan trays,

wherein the second management bus is coupled only to fan trays (See Figure 1 (131-133)). The system also includes a central management agent, coupled to the first management bus and the second management bus, to monitor the temperature sensors and the fan trays via the first and second management buses, and to transmit signals to control activation of one or more of the fan trays based upon signals received from one or more of the temperature sensors via the first and second management buses (See Figure 1 (105 and (Specification at page 3, II. 24 – page 4, II. 6)), and having failure detection logic to detect a failure of the temperature sensors, and the fan trays (See Figure 3 (302) and (Specification at page 10, II. 17-23)); and a network interface card coupled to the central management agent, to transmit signals received from the central management agent indicating failure of one or more of the temperature sensors, and the fan trays to a remote location (See Figure 3 (308) and Specification at page 3, II. 24 – page 4, II. 6)).

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Claims 1, 4, 5, 7-10 and 16-22 stand rejected under 35 U.S.C. §112, first paragraph, as failing to comply with the enablement requirement.

Claims 1, 4, 5 and 7 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Stepp, III (U.S. Patent 6,487,463) (Stepp), and what is well known in the art, as evidenced by Umezawa (U.S. Patent No. 4,975,766) (Umezawa).

3037406962

Claims 8-10 and 16-21 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Stepp in view of Holland (U.S. Patent No. 5,367,669) (Holland).

The remaining rejection relies on one or more of the above-rejections. Thus, only the above-rejections are to be reviewed.

To: USPTO

VП. **ARGUMENTS**

1. THE PENDING CLAIMS 1, 4, 5, 7-10 and 16-22 WERE IMPROPERLY REJECTED UNDER 35 U.S.C. § 112. FIRST PARAGRAPH BECAUSE THE CLAIMS COMPLY WITH THE ENABLEMENT REQUIREMENT

Appellant respectfully submits that the 35 USC §112, first paragraph rejection is traversed.

Appellant's specification at page 4, lines 1-3 explicitly states that a central management agent may monitor and/or control power supplies, fan trays and temperature sensors. In fact, the Examiner acknowledges this disclosure in the specification. See Final Office Action at page 2, paragraph 2. However, the Examiner asserts that such a disclosure does not specifically state that control signals are transmitted to temperature sensors and it is unclear which components are controlled and which are monitored. Id. The Examiner further asserts that the statement can also mean that the devices are "monitored or controlled." See Final Office Action at Page 8, paragraph 23.

Appellant acknowledges the accuracy of the Examiner's assertion, and further submits that a plain English construction of the components monitor and/or control indicates that any of the component types may alternatively be "monitored and controlled" or "monitored or controlled." Thus, since the statement may be interpreted as either "monitored and controlled" or "monitored or controlled" the disclosure of components being "monitored and controlled" is explicitly disclosed. As a result, the claims are in compliance with 35 USC §112, first paragraph.

2. THE PENDING CLAIMS 1, 4, 5 AND 7 WERE IMPROPERLY REJECTED UNDER 35 U.S.C. § 103(A) BECAUSE THE COMBINATION OF STEPP AND UMEZAWA DOES NOT DISCLOSE OR SUGGEST EACH AND EVERY FEATURE OF THE PENDING CLAIMS

Appellant respectfully submits that the combination of Stepp and Umezawa fails to disclose or suggest the claimed invention for the reasons set forth below. As the Honorable Board is well aware, in order to establish a prima facie case of obviousness:

the Office personnel must articulate the following:

- (1) a finding that the prior art included each element claimed, although not necessarily in a single prior art reference, with the only difference between the claimed invention and the prior art being the lack of actual combination of the elements in a single prior art reference;
- (2) a finding that one of ordinary skill in the art could have combined the elements as claimed by known methods, and that in combination, each element merely performs the same function as it does separately;
- (3) a finding that one of ordinary skill in the art would have recognized that the results of the combination were predictable; and
- (4) whatever additional findings based on the *Graham* factual inquiries may be necessary, in view of the facts of the case under consideration, to explain a conclusion of obviousness. (emphasis added)

Manual of Patent Examining Procedure (MPEP), 8th Edition, Revision 6, September 2007, §2143 (A).

(A) Claims 1, 4, 5 and 7 were improperly rejected because the combination of Stepp and Umezawa does not disclose or suggest a central management agent to transmit signals to control each of first and second sets of field replaceable units via first and second management buses.

The claims of the present application each recite an element that is not disclosed in either Stepp or Umezawa. For example, Appellant's independent claim 1 recites the following:

A system comprising:

- a first set of field replaceable units each being of a first type;
- a second set of field replicable units each being of a second type;
- a first management bus, directly coupled to each of the first set of field replaceable units, wherein the first management bus is coupled only to field replicable units of the first type;
- a second management bus, directly coupled to each of the second set of field replaceable units, wherein the second management bus is coupled only to field replicable units of the second type;
- a central management agent, coupled to the first management bus and the second management bus, to monitor each of the first and second sets of field replaceable units via the first and second management buses, and to transmit signals to control each of the first and second sets of field replaceable units via the first and second management buses; and
- a communication link, coupled to the central management agent, to transmit signals received from the central management agent indicating failure of one or more of the first set of field replaceable units, and the second set of field replaceable units to a remote location.

Abstract. Stepp further discloses a controller 320 that is coupled to temperature sensors 314 and cooling fans 316. The controller 320 monitors the temperature of components 302-312 through the temperature sensors 314. See Stepp at col. 6, 11. 14-19 and Figure 3. The controller 320 is coupled to cooling fans 316 via FAN C and FAN M connections. The FAN C connections are used to control the rotational speed of each cooling fan 316. See Stepp at col. 6, 11. 22-24. The FAN M connections are used to monitor each cooling fan 316 to detect failure of a cooling fan. See Stepp at col. 6, 11. 56-58.

Umezawa discloses a structure for detecting a temperature of a package which includes a circuit board having mounted thereon a plurality of integrated circuit chips,

each of which is accommodated in a chip carrier, a cooling plate facing the integrated circuit chips for performing a heat exchanger with a coolant, a temperature sensing block including a case which is mounted on the circuit board and has substantially the same height as the chip carriers with at least one temperature sensor accommodated in the case, and a heat-conducting medium filling small clearances defined between the cold plate and the integrated circuit chips and the temperature sensing block. See *Umezawa* at Abstract.

Appellant submits that neither Stepp nor Umezawa disclose or suggest a central management agent transmitting signals to control <u>both</u> the temperature sensors and the fans. Particularly, neither reference discloses or suggests transmitting control signals to the temperature sensors. In fact, the Examiner acknowledges that Stepp does not disclose such a feature. See Final Office Action at page 3, paragraph 5. However, the Examiner maintains that Umezawa discloses the feature. Id.

Umezawa discloses an external circuit for controlling temperature sensors such that when one temperature sensor senses a temperature indicative of a malfunction the external circuit activates another temperature sensor. See Umezawa at claim 3.

Nonetheless, there is no disclosure in Umezawa of transmitting control signals to the temperature sensors. Because both Stepp and Umezawa fail to disclose or suggest transmitting control signals to temperature sensors, any combination of Stepp and Umezawa would also fail to disclose or suggest transmitting control signals to temperature sensors.

Docket No.: 42P13516

Application No.: 10/014,904

Since *Umezawa* and *Stepp* both fail to disclose or suggest <u>transmitting control</u>

<u>signals to temperature sensors</u>, any combination of *Umezawa* and *Stepp* would also fail
to disclose or suggest such a feature.

For the foregoing reasons, the claims are patentable over Stepp in view of Umezawa.

Claims 4, 5 and 7 depend from claim 1. Given that dependent claims necessarily include the limitations of the claims from which they depend, Appellant submits that the invention as claimed in claims 4, 5 and 7 are similarly patentable over a combination of Stepp and Umezawa.

For the forgoing reasons, Appellant submits that the Examiner has failed to search and find a printed publication or patent that discloses the claimed invention as set forth in MPEP § 706.02(a).

Thus, the Examiner erred in rejecting claims 11, 4, 5 and 7 under 35 U.S.C. §103(a).

P.15/24

3. THE PENDING CLAIMS 8-10 AND 16-21 WERE IMPROPERLY REJECTED UNDER 35 U.S.C. § 103(A) BECAUSE THE COMBINATION OF STEPP AND HOLLAND DOES NOT DISCLOSE OR SUGGEST EACH AND EVERY FEATURE OF THE PENDING CLAIMS

Appellant respectfully submits that claims 8-10 depend from claim 1, and are thus patentable for the reasons discussed above with regard to claim 1. Particularly, since claim 1 has not been rejected in view of *Stepp* and *Holland*, claims 8-10 cannot be rejected in view of that combination of references as claims 8-10 necessarily include the limitations of claim 1.

Moreover, Appellant submits that the combination of Stepp and Holland fails to disclose or suggest the claimed invention for the reasons set forth below.

(A) Claims 1, 4, 5 and 7 were improperly rejected because the combination of Stepp and Holland does not disclose or suggest a central management agent having such failure detection logic.

The claims of the present application each recite an element that is not disclosed in either *Stepp* or *Holland*. For example, Appellant's independent claim 16 recites the following:

A system comprising:

two or more temperature sensors;

a first management bus directly coupled to each of the two or more temperature sensors, wherein the first management bus is coupled only to temperature sensors;

two or more fan trays;

a second management bus directly coupled to each of the two or more fan trays, wherein the second management bus is coupled only to fan trays;

a central management agent, coupled to the first management bus and the second management bus, to

monitor the temperature sensors and the fan trays via the first and second management buses, and to transmit signals to control activation of one or more of the fan trays based upon signals received from one or more of the temperature sensors via the first and second management buses, and having failure detection logic to detect a failure of the temperature sensors, and the fan trays; and

a network interface card coupled to the central management agent, to transmit signals received from the central management agent indicating failure of one or more of the temperature sensors, and the fan trays to a remote location.

Holland discloses a fault tolerant disk array control system. See Holland at Abstract.

Appellant submits that neither Stepp nor Holland disclose or suggest a central management agent having failure detection logic. Holland discloses a Watchdog Timer that detects faulty functioning of a microprocessor. See Holland at col. 6, ll. 58-62.

Appellant submits that a watchdog timer at a microprocessor is not equivalent to a central management agent having failure detection logic to detect a failure of temperature sensors, and a fan tray.

Because *Umezawa* and *Holland* both fail to disclose or suggest <u>a central</u>

management agent having failure detection logic, any combination of *Umezawa* and *Holland* would also fail to disclose or suggest such a feature.

For the foregoing reasons, the claims are patentable over Stepp in view of Holland.

Claims 17-21 depend from claim16. Given that dependent claims necessarily include the limitations of the claims from which they depend, Appellant submits that the

invention as claimed in claims 17-21 are similarly patentable over a combination of *Stepp* and *Holland*.

For the forgoing reasons, Appellant submits that the Examiner has failed to search and find a printed publication or patent that discloses the claimed invention as set forth in MPEP § 706.02(a).

Thus, the Examiner erred in rejecting claims 8-10 and 16-21 under 35 U.S.C. §103(a).

VIII. CONCLUSION

Appellant respectfully submits that all appealed claims in this application are patentable and were improperly rejected by the Examiner during prosecution before the United States Patent and Trademark Office. Appellant respectfully requests that the Board of Patent Appeals and Interferences overrule the Examiner and direct allowance of the rejected claims.

This Brief is submitted with a check for \$510.00 to cover the appeal fee for one other than a small entity as specified in 37 C.F.R. § 1.17(c). Please charge any shortages and credit any overpayments to our Deposit Account No. 02-2666.

Respectfully submitted,

BLAKELY, SOKJOKOFF, TAYLOR & ZAFMAN

Date: June 16, 2008

Mark L. Watson
Attorney for Appellants

Reg. No. 46,322

1279 Oakmead Parkway Sunnyvale, California 94085-4040 (303) 740-1980

IX. **APPENDIX OF CLAIMS (37 C.F.R. § 1.192(c)(9))**

1. A system comprising:

a first set of field replaceable units each being of a first type;

a second set of field replicable units each being of a second type;

a first management bus, directly coupled to each of the first set of field

replaceable units, wherein the first management bus is coupled only to field replicable

units of the first type;

a second management bus, directly coupled to each of the second set of field

replaceable units, wherein the second management bus is coupled only to field replicable

units of the second type;

a central management agent, coupled to the first management bus and the second

management bus, to monitor each of the first and second sets of field replaceable units

via the first and second management buses, and to transmit signals to control each of the

first and second sets of field replaceable units via the first and second management buses;

and

a communication link, coupled to the central management agent, to transmit

signals received from the central management agent indicating failure of one or more of

the first set of field replaceable units, and the second set of field replaceable units to a

remote location.

The system of claim 1, wherein the first and second management buses are Inter-4.

i.

IC buses.

Docket No.: 42P13516

Application No.: 10/014,904

- 5. The system of claim 1, wherein the system further comprises a second central management agent coupled to the first management bus.
- 7. The system of claim 1, wherein the central management agent is a processor.
- 8. The system of claim 1, wherein the first set of field replaceable units are temperature sensors and the second set of field replaceable units are power supplies.
- 9. The system of claim 1, further comprising:

 a third management bus, coupled to the central management agent, to couple only
 to field replaceable units of a third type; and
 a third set of field replaceable units each being of the third type.
- 10. The system of claim 9, wherein the third set of field replaceable units are fan trays.
 - 16. A system comprising:

two or more temperature sensors;

a first management bus directly coupled to each of the two or more temperature sensors, wherein the first management bus is coupled only to temperature sensors; two or more fan trays;

JUN-16-2008 16:01 From: BSTZ To: USPTO P.21/24 3037406962

a second management bus directly coupled to each of the two or more fan trays,

wherein the second management bus is coupled only to fan trays;

a central management agent, coupled to the first management bus and the second

management bus, to monitor the temperature sensors and the fan trays via the first and

second management buses, and to transmit signals to control activation of one or more of

the fan trays based upon signals received from one or more of the temperature sensors via

the first and second management buses, and having failure detection logic to detect a

failure of the temperature sensors, and the fan trays; and

a network interface card coupled to the central management agent, to transmit

signals received from the central management agent indicating failure of one or more of

the temperature sensors, and the fan trays to a remote location.

17. The system of claim 16, wherein the system further comprises a central

processing unit coupled to the central management agent.

18. The system of claim 17, wherein the central management agent is an abstracting

agent.

19. The system of claim 16 further comprising

one or more power supplies; and

a third management bus coupled to the one or more power supplies and the central

management agent, wherein the third management bus is coupled only to power supplies.

Docket No.: 42P13516

Application No.: 10/014,904

P.22/24

- 20. The system of claim 19, wherein the central management agent performs analysis on detected failures prior to transmission of the failures to the network interface card.
- 21. The system of claim 17 further comprises a second central management agent coupled to the first management bus, to the second management bus, and to the central management agent.
- 22. The system of claim 16 further comprises a redundant first management bus coupled to the central management agent and coupled to each of the one or more temperature sensors, wherein the first management bus is not coupled to any other components.

Docket No.: 42P13516

X. EVIDENCE APPENDIX

None

XI. RELATED PROCEEDING APPENDIX

None